


2015 Braindump2go Microsoft 70-513 VCE Dumps Free Download (11-20)

MICROSOFT NEWS: 70-513 Exam Questions has been Updated Today! Get Latest 70-513 VCE and 70-513 PDF Instantly! Welcome to Download the Newest Braindump2go 70-513 VCE&70-513 PDF Dumps:

<http://www.braindump2go.com/70-513.html> (341 Q&As) 2015 Microsoft 70-513 Certification Exam is coming! Getting a Latest 70-513 Practice Test is very important for an Exam Candidate! Braindump2go New Updated 70-513 Exam Questions Well Formatted in PDF and VCE versions, providing you convenience and excellence both at the same time! Free Questions and Answer are provided Following: Exam Code: 70-513 Exam Name: TS: Windows Communication Foundation Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Service Communication Applications 70-513 Dumps PDF, 70-513 eBook, 70-513 VCE, 70-513 PDF, 70-513 Latest Dumps, 70-513 Certification, 70-513 Training Kit PDF, 70-513 Braindump, 70-513 Exam Dumps, 70-513 Exam Book, 70-513 Exam PDF, 70-513 Exam Book, 70-513 Exam Preparation, 70-513 Dumps VCE, 70-513 Practice Test, 70-513 Practice Exam, 70-513 Preparation Book

TS: Windows Communication Foundation Development

Microsoft .NET Framework 4: 70-513



Product Description Exam Number/Code: 70-513

Exam Number/Code: 70-513

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4, is a Microsoft Certification. With the complete questions and answers, Braindump2go has assembled to take you through the exam preparation. In the 70-513 exam resources, you will cover all the topics of Microsoft MCPD helping to ready you for your successful Microsoft certification.

Questions and Answers : 341
Q&As
Updated: Nov 13, 2015
~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Free Demo Download

Braindump2go offers free demo for 70-513 exam (TS: Windows Communication Foundation Development with Microsoft .NET Framework 4). You can check the quality and usability of our practice exams before you decide to purchase.

Printable PDF Premium VCE + VCE Simulator

QUESTION 11 You are modifying a Windows Communication Foundation (WCF) service that allows customers to update financial data. The service currently requires a transaction from the client application and is working correctly. The service contract is defined as follows. (Line numbers are included for reference only.)

```
01 [ServiceContract]
02 public interface IDataUpdate
03 {
04     [OperationContract]
05     [TransactionFlow(TransactionFlowOption.Mandatory)]
06     void Update(string accountNumber, double amount);
07 }
08
09
10 class UpdateService : IDataUpdate
11 {
12     [OperationBehavior(TransactionScopeRequired = true,
13         TransactionAutoComplete = true)]
14     public void Update(string accountNumber, double amount)
15     {
16         try
17         {
18             // ...
19         }
20         catch (Exception ex)
21         {
22             // ...
23         }
24     }
25 }
26
```

The service must be modified so that client applications do not need to initiate a transaction when calling the operation. The service must use the client application's transaction if one is available. Otherwise it must use its own transaction. You need to ensure that the service operation is always executed within a transaction. What should you do?

- A. Replace line 12 with the following code.
 [OperationBehavior(TransactionScopeRequired = false,
 TransactionAutoComplete = false)]
- B. Replace line 12 with the following code.
 [OperationBehavior(TransactionScopeRequired = false,
 TransactionAutoComplete = false)]
- C. Replace line 05 with the following code.
 [TransactionFlow(TransactionFlowOption.NotAllowed)]
- D. Replace line 05 with the following code.
 [TransactionFlow(TransactionFlowOption.Allowed)]

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 12 You are creating a Windows Communication Foundation (WCF) service to process orders. The data contract for the order is defined as follows: [DataContract] public class Order { [DataMember] public string CardHolderName { get; set; } [DataMember] public string CreditCardNumber { get; set; } } You have the following requirements: - Enable the transmission of the contents of Order from the clients to the service. - Ensure that the contents of CreditCardNumber are not sent across the network in clear text. - Ensure that the contents of CreditCardNumber are accessible by the Service to process the order. You need to implement the service to meet these requirements. What should you do? A. Add a DataProtectionPermission attribute to the CreditCardNumber property and set the ProtectData property to true. B. Convert the DataContract to a MessageContract and set the ProtectionLevel property to SignAndEncrypt. C. Change the data type of CreditCardNumber from string to SecureString. D. Implement the CreditCardNumber property getter and setter. In the setter, run the value of the CreditCardNumber through the MD5CryptoServiceProvider class TransformBlock method. Answer: B QUESTION 13

Drag and Drop Question You develop a Windows Communication Foundation (WCF) service that is hosted within a console application. The service implements the IRegistrationService interface in a class named RegistrationService. The service uses the following endpoint URL: <http://localhost:8080/registrationservice/basic> You need to configure the console application to host the service. How should you complete the relevant markup? (To answer, drag the appropriate markup segment to the correct location in the answer area. Each segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Answer:

QUESTION 14 You create a service and deploy it on a network in a building named Building1. You will deploy the service to Building2. The service in Building1 is configured using the following discovery scopes. <scopes> <add scope="http://contoso.com/Chicago/Building1"/> <add scope="ldap:///ou=Building1,ou=Chicago,o=contoso,c=us"/> </scopes> The service in Building2 will be configured using the following discovery scopes. <scopes> <add scope="http://contoso.com/Chicago/Building2"/> <add scope="ldap:///ou=Building2,ou=Chicago,o=contoso,c=us"/> </scopes> You need to

ensure that the client application can discover the service in Building1 or the service in Building2. Which scopes should you add to the client configuration file? A. `<scopes><add scope="http://contoso.com/Chicago/*"/></scopes>` B. `<scopes><add scope="http://contoso.com/Chicago"/></scopes>` C. `<scopes><add scope="ldap:///ou=Building,ou=Chicago,o=contoso,c=us"/></scopes>` D. `<scopes><add scope="ldap:///ou=*,o=contoso,c=us"/></scopes>` Answer: B

QUESTION 15 You are developing a Windows Communication Foundation (WCF) service that returns location information for authorized law enforcement agencies. The service contract is as follows: `[ServiceContract] public interface IMappingService { [OperationContract] long[] GetLocationCoordinates(String cityName); [OperationContract] long[] GetLocationOfCitizen(String ssn); }` Users are authenticated and impersonated. The system uses ASP.NET roles. The members of law enforcement are members of the LawEnforcement role. You need to ensure that only members of the LawEnforcement role can call these methods. What are two possible ways to achieve this goal? (Each correct answer presents a complete solution. Choose two.) A. Add a `PrincipalPermissionAttribute` to each method that should be available only to members of law enforcement. Set its `SecurityAction` to `Demand` and set the role equal to `LawEnforcement`. B. Use the `CurrentPrincipal` property of the thread. Call the `IsInRole` method specifying `LawEnforcement` as a parameter. C. Create a `GenericPrincipal` specifying `Thread.CurrentPrincipal.Identity` as the `IIdentityParameter` and `LawEnforcement` as the only value for the `Roles` parameter. D. At the beginning of each method, enumerate each `ClaimSet` in a new `WindowsClaimSet`. Use the `FindClaims` method to locate a claim type named `Role` with a right named `LawEnforcement`. Answer: AB

QUESTION 16 You create a Windows Communication Foundation (WCF) service and deploy it with `wsHttpBinding` and message security enabled. You create an intermediate WCF service for logging messages sent to the primary service. The intermediate service is called via the client `Via` endpoint behavior. The primary service is receiving malformed data from a client application. You need to enable inspection of the malformed data and prevent message tampering. What should you do? A. Specify a protection level of `None` in the service contract for the intermediate service. Disable message and transport security from the client application configuration file. B. Specify a protection level of `Sign` in the service contract for the intermediate service. Disable transport security from the client application configuration file. C. Modify the binding on the intermediate service to use `netNamedPipeBinding`. D. Modify the binding on the intermediate service to use `webHttpBinding`. Answer: B

QUESTION 17A Windows Communication Foundation (WCF) service interacts with the database of a workflow engine. Data access authorization is managed by the database, which raises security exceptions if a user is unauthorized to access it. You need to ensure that the application transmits the exceptions raised by the database to the client that is calling the service. Which behavior should you configure and apply to the service? A. `routing` B. `serviceDebug` C. `serviceSecurityAudit` D. `workflowUnhandledException` Answer: B

QUESTION 18 Four Windows Communication Foundation (WCF) services are hosted in Microsoft Internet Information Services (IIS). No behavior configuration exists in the `web.config` file. You need to configure the application so that every service and endpoint limits the number of concurrent calls to 50 and the number of concurrent sessions to 25. Which XML segment should you add to the `system.serviceModel` configuration section of the `web.config` file? A. `<behaviors> <serviceBehaviors> <behavior name="*"><serviceThrottling maxConcurrentCalls="50" maxConcurrentSessions="25"/></behavior></serviceBehaviors></behaviors>` B. `<behaviors> <serviceBehaviors> <behavior name="default"><serviceThrottling maxConcurrentCalls="50" maxConcurrentSessions="25"/></behavior></serviceBehaviors></behaviors>` C. `<behaviors> <serviceBehaviors> <behavior name=""><serviceThrottling maxConcurrentCalls="50" maxConcurrentSessions="25"/></behavior></serviceBehaviors></behaviors>` D. `<behaviors> <serviceBehaviors> <behavior name="ALL"> <serviceThrottling maxConcurrentCalls="50" maxConcurrentSessions="25" /></behavior></serviceBehaviors></behaviors>` Answer: C

QUESTION 19 You are developing a Windows Communication Foundation (WCF) service that allows customers to update financial data. The service contract is defined as follows. (Line numbers are included for reference only.) You need to ensure that the service is invoked within a transaction. What should you do?

```

01 [ServiceContract]
02 public interface IDataUpdate
03 {
04     [OperationContract]
05     [TransactionFlow(TransactionFlowOption.Mandatory)]
06     void Update(string accountNumber, double amount);
07 }
08
09 class UpdateService : IDataUpdate
10 {
11     [OperationBehavior(TransactionScopeRequired = true,
12         TransactionAutoComplete = false)]
13     public void Update(string accountNumber,
14         double amount)
15     {
16     }
17 }


```

A. Replace line 01 with the following code `[ServiceContract(SessionMode = SessionMode.NotAllowed)]` B. Replace line 01 with

the following code [ServiceContract(SessionMode = SessionMode.Required)]C. Call the Invoke method of the form and supply a delegate.D. Call the BeginInvoke method of the form and supply a delegate. Answer: B QUESTION 20 Drag and Drop Question You configure a Windows Communication Foundation (WCF) service. The service has a class named Person that includes the following code segment:

```
public class Person
{
    public string name;
    public string secret;
    public string comments;
}
```

The Person class has the following requirements:- The secret property must be encrypted and serialized in the SOAP header. - The comments property must be transmitted in plain text and serialized in the SOAP body.- The name property must be transmitted in plain text and serialized in the SOAP body.- The service must ensure the integrity of the name property when data is transmitted.- The service must not ensure the integrity of the comments property when data is transmitted.You need to ensure that the Person class is serialized.How should you complete the relevant code? (To answer, drag the appropriate code segments to the correct location or locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)



Answer:



Latest 70-513 Questions and Answers from Microsoft Exam Center Offered by Braindump2go for Free Share Now! Read and remember all Real Questions Answers, Guaranteed Pass 70-513 Real Test 100% Or Full Money Back!

TS: Windows Communication Foundation (WCF) Microsoft .NET Framework 4: 70-513



Questions and Answers : 341 Q&As
 Updated: Nov 13, 2015
~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Product Description

Exam Number/Code:

TS: Windows Communication Foundation (WCF) Microsoft .NET Framework 4: 70-513 exam, is a real questions and answers, Braindump2go provides the best Exam preparation. In the 70-513 Microsoft MCPD helping to pass the exam.

Free Demo Download

Braindump2go offers free demo download for you to check the quality and usability of our products.

Printable PDF PDF VCE

FREE DOWNLOAD: NEW UPDATED 70-513 PDF Dumps & 70-513 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-513.html> (341 Q&A)