

## [FREE] Download NEW 70-513 PDF & VCE Dumps from Braindump2go (71-80)

**MICROSOFT NEWS: 70-513 Exam Questions has been Updated Today! Get Latest 70-513 VCE and 70-513 PDF Instantly!**  
**Welcome to Download the Newest Braindump2go 70-513 VCE & 70-513 PDF Dumps:**


<http://www.braindump2go.com/70-513.html> (341 Q&As) Instant Download 70-513 PDF Files! New Updated 341 Exam Questions and Answers help 100% Exam Pass! 70-513 Certification Get Quickly! Exam Code: 70-513 Exam Name: TS: Windows Communication Foundation Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Service Communication Applications 70-513 Dumps PDF, 70-513 eBook, 70-513 VCE, 70-513 PDF, 70-513 Latest Dumps, 70-513 Certification, 70-513 Training Kit PDF, 70-513 Braindump, 70-513 Exam Dumps, 70-513 Exam Book, 70-513 Exam PDF, 70-513 Exam Book, 70-513 Exam Preparation, 70-513 Dumps VCE, 70-513 Practice Test, 70-513 Practice Exam, 70-513 Preparation Book

TS: Wind  
Microsoft



Questions and  
Q&As  
Updated: Nov 13  
\$129.00 \$59.00  
PDF DEMO  
CHECK

**QUESTION 71** Drag and Drop Question You are developing a Windows Communication Foundation (WCF) service that contains a method named ProcessPayments. The service is hosted in Internet Information Services (IIS). You have the following requirements:- Create a new instance of the service every time that a client application calls the ProcessPayments method.- Process every call from client applications one at a time. You need to complete the code for the WCF service. Which four code segments should you use in sequence? (To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.)



```
[ServiceContract]
[DataContract]

namespace PaymentProcessingService
{
    [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerCall,
        ConcurrencyMode = ConcurrencyMode.Single)]


    public interface IPaymentProcessor
    {
        ConcurrencyMode = ConcurrencyMode.Multiple]

    namespace PaymentProcessingService
    {
        [ServiceBehavior(InstanceContextMode = InstanceContextMode.Single,

    namespace PaymentProcessingService
    {
        [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerSession,

    public class PaymentProcessor
    {
    }
}
```

Answer:



QUESTION 72A Windows Communication Foundation (WCF) application exposes a service as a SOAP endpoint for consumption by cross-platform clients. During integration testing, you find that one of the clients is not generating the correct messages to the WCF application. In order to debug the issue and fix the communication, you need to configure the service to log messages received from the client. What should you do?

A. Set an etwTracking behavior on the service and configure a listener for the System.ServiceModel trace source.  
 B. Set an etwTracking behavior on the service and configure a listener for the System.ServiceModel.MessageLogging trace source.  
 C. Enable messageLogging in the System.ServiceModel diagnostics element configuration and configure a listener for the System.ServiceModel.MessageLogging trace source.  
 D. Enable messageLogging in the System.ServiceModel diagnostics element configuration and configure a listener for the System.ServiceModel trace source.

Answer: C QUESTION 73 You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)

```

01 [ServiceContract]
02 [ServiceBehavior(IncludeExceptionDetailsInFaults = true)]
03 public class OrderService
04 {
05     [OperationContract]
06     public void SubmitOrder(Order anOrder)
07     {
08         try
09         {
10             ...
11         }
12         catch (DivideByZeroException ex)
13         {
14             ...
15         }
16     }
17 }
    
```

You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do?

A. Replace line 14 with the following line: throw;  
 B. Replace line 14 with the following line: throw new FaultException<Order>(anOrder, ex.ToString());  
 C. After line 05, add the following line: [FaultContract(typeof(FaultException<Order>))]  
 D. Alter line 05, add the following line: [FaultContract(typeof(FaultException<Order>))]

Answer: D QUESTION 74 You develop an ASP.NET web application that is hosted in the virtual directory named SecureApp. The web application uses the ASP.NET membership provider. The application pool for the website uses the dedicated domain account named MyDomainWebServiceAccount. The web.config file contains the connectionStrings element. You need to secure the connectionStrings element for the web application. Which of the following two commands must you run at a command prompt? (Each correct answer presents part of the solution. Choose two.)

A. aspnet\_regiis -pe "connectionStrings" -app "MyDomainWebServiceAccount"  
 B. aspnet\_regiis -pe "connectionStrings" -app "/SecureApp"  
 C. aspnet\_regsql -pa "NetFrameworkConfigurationKey" "MyDomainWebServiceAccount"  
 D. aspnet\_regiis -pa "NetFrameworkConfigurationKey" "MyDomainWebServiceAccount"

Answer: B, D Explanation: B (not A): -aspnet\_regiis ?pe sectionEncrypts the specified configuration section. This argument takes the following optional modifiers: -prov provider Specifies the encryption provider to use. -app virtualPath Specifies that encryption should occur at the level of the included path. -location subPath Specifies the subdirectory to encrypt. -pkm Specifies that the Machine.config file should be encrypted instead of the Web.config file. D: - Before ASP.NET can decrypt encrypted information in the Web.config file, the identity of your ASP.NET application must have read access to the encryption key that is used to encrypt and decrypt the encrypted sections. The RSA key container that is used by the default RsaProtectedConfigurationProvider provider is named "NetFrameworkConfigurationKey". -aspnet\_regiis ?pa container account Grants permission for the specified user or group account to access the specified key container. This argument takes the following optional modifiers: -pku Substitutes a user-specified container for the default machine container. -csp provider Specifies the container provider to use. -full Specifies that full access should be added, rather than the default read-only access. Incorrect: Not C: The ASP.NET SQL Server Registration tool is used to create a Microsoft SQL Server database for use by the SQL Server providers in ASP.NET, or to add or remove options from an existing database. QUESTION 75A client application

calls a Windows Communication Foundation (WCF) service with a proxy class that was generated by Visual Studio. The service binding was changed from wsHttpBinding to basicHttpBinding. The method signatures in the service contract are changed. After these changes, the client application receives errors when calling methods on the service. You need to ensure that the client can invoke methods on the service successfully. What should you do? A. Update the configuration file to use basicHttpBinding. B. Enable anonymous authentication for the service. C. Copy the configuration file elements under the <system.serviceModel> element from the service back to the client. D. Update the service reference. Answer: D

QUESTION 76 You are developing a Windows Communication Foundation (WCF) service. You enable message logging, trace listeners, activity propagation, and tracing on the trace sources. You have the following code segment in the client application. (Line numbers are included for reference only.)

01 Guid  
02  
03  
04

You encounter errors when your client application consumes the service. You need to ensure that your client application can correlate tracing information with the service. Which code segment should you add at line 04?

```

A. ts.TraceEvent(TraceEventType.Start, 0,
    "Calling first service");
    ts.TraceTransfer(100, "Transferring...", Guid.NewGuid());
    ...
    ts.TraceEvent(TraceEventType.Stop, 0,
    "Return from first service.");
    ...
B. ts.TraceEvent(TraceEventType.Start, 0,
    "Calling first service");
    Trace.CorrelationManager.StartLogicalOperation("1");
    ...
C. ts.TraceEvent(TraceEventType.Start, 0,
    "Calling first service");
    ts.TraceTransfer(100, "Transferring...",
    multiCallActivityId);
    ...
    ts.TraceEvent(TraceEventType.Stop, 0,
    "Return from first service.");
    ...
D. Trace.CorrelationManager.StartLogicalOperation("1");
    ...
    Trace.CorrelationManager.StopLogicalOperation();
    ...
    
```

A. Option AB. Option BC. Option CD. Option D Answer: C

QUESTION 77 Drag and Drop Question You use Visual Studio to develop a Windows Communication Foundation (WCF) service. The service is not hosted. You cannot use the WcfTestClient.exe tool to test the service. You need to test the service from a separate Visual Studio solution that contains a simple console application. Which four actions should you perform in sequence? (To answer, move the appropriate four actions from the list of actions to the answer area and arrange them in the correct order.)

<ul style="list-style-type: none"> <li>Add a using directive for System.IO.</li> <li>Create an instance of the client proxy class that passes the name of the endpoint.</li> <li>Run the WCF service.</li> <li>Add a service reference in the WCF client project.</li> <li>Add a service reference in the WCF client project.</li> <li>Copy the metadata address from the WCF service host.</li> <li>Create an entry in the web.config file of the WCF service for the proxy class.</li> </ul>	Answer Area
--	-------------

Answer:

<ul style="list-style-type: none"> <li>Add a using directive for System.IO.</li> <li>Create an instance of the client proxy class that passes the name of the endpoint.</li> <li>Run the WCF service.</li> <li>Add a service reference in the WCF client project.</li> <li>Add a service reference in the WCF client project.</li> <li>Copy the metadata address from the WCF service host.</li> <li>Create an entry in the web.config file of the WCF service for the proxy class.</li> </ul>	Answer Area
	<ul style="list-style-type: none"> <li>Add a service reference in the WCF client project.</li> <li>Create an instance of the client proxy class that passes the name of the endpoint.</li> <li>Add a service reference in the WCF client project.</li> <li>Run the WCF service.</li> </ul>


QUESTION 78 You are developing a Windows Communication Foundation (WCF) REST service to provide access to a library book catalog. The following code segment defines the service contract. (Line numbers are included for reference only.) Library patrons want the ability to search the catalog by title. You need to ensure that the GetBookByTitle method is exposed as a service method. Which code segment should you insert at line 05?

```

01 [ServiceContract]
02 [AspNetCompatibilityRequirements(
    RequirementsMode =
    AspNetCompatibilityRequirementsMode.Allowed)]
03 public class LibraryService
04 {
05
06     public Book GetBookByTitle(string title)
07
08
09     }
10
11     [WebGet(UriTemplate = "Book/{id}")]
12     public Book GetBookById(string id)
13     {
14         ...
15     }
16 }
    
```

A. [WebGet(UriTemplate = "Book/{title}")]. B. [WebGet(UriTemplate = "BookByTitle/{title}")]. C. [WebGet(UriTemplate = "Book/{titleToSearch}")]. D. [WebGet(UriTemplate = "{titleToSearch}")] Answer: B QUESTION 79A Windows Communication Foundation (WCF) service is responsible for transmitting XML documents between systems. The service has the following requirements:- It must minimize the transmission size by attaching the XML document as is without using escape characters or base64 encoding.- It must interoperate with systems that use SOAP but are not built on the .NET platform. You need to configure the service to support these requirements. Which message encoding should you use? A. Binary message encoding B. MTOM (Message Transmission Optimization Mechanism) message encoding C. Text message encoding with message version set to none D. Text message encoding with message version set to SOAP 1.2 Answer: B QUESTION 80A Windows Communication Foundation (WCF) service is self-hosted in a console application. The service implements the ITimeService service interface in the TimeService class. You need to configure the service endpoint for HTTP communication. How should you define the service and endpoint tags? A. Define the service tag as follows: <service name="TimeService"> Define the endpoint tag as follows: <endpoint kind="TimeService" address="http://localhost:8080/TimeService" binding="wsHttpBinding" contract="ITimeService"/> B. Define the service tag as follows: <service name="TimeService"> Define the endpoint tag as follows: <endpoint kind="ITimeService" address="http://localhost:8080/TimeService" binding="wsHttpBinding" contract="ITimeService" /> C. Define the service tag as follows: <service name="ITimeService"> Define the endpoint tag as follows: <endpoint name="TimeService" address="http://localhost:8080/TimeService" binding="wsHttpBinding" contract="ITimeService"/> D. Define the service tag as follows: <service name="TimeService"> Define the endpoint tag as follows: <endpoint address="http://localhost:8080/TimeService" binding="wsHttpBinding" contract="ITimeService"/> Answer: D Braindump2go Promise All 70-513 Questions and Answers are the Latest Updated, we aim to provide latest and guaranteed questions for all certifications. You just need to be braved in trying then we will help you arrange all left things! 100% Pass All Exams you want Or Full Money Back! Do you want to have a try on passing 70-513?

**TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513**



**Questions and Answers : 341 Q&As**  
Updated: Nov 13, 2015  
~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

**Product Description Exam Number/Code: 70-513**

**Exam Number/Code: 70-513**

"TS: Windows Communication Foundation Development with Microsoft .NET Framework 4", also known as 70-513 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 341 Q&As to your 70-513 Exam preparation. In the 70-513 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

**Free Demo Download**

Braindump2go offers free demo for 70-513 exam (TS: Windows Communication Foundation Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

**Printable PDF**    **Premium VCE + VCE Simulator**

FREE DOWNLOAD: NEW UPDATED 70-513 PDF Dumps & 70-513 VCE Dumps from Braindump2go: <http://www.braindump2go.com/70-513.html> (341 Q&A)